


# ILLUSTRATED PARTS

AMERICAN  AMERICAN  
M A D E O W N E D  
OUTDOOR POWER EQUIPMENT











## 1995


## PUSH MOWERS

| Model Number                       | Pages |
|------------------------------------|-------|
| 115-504A000 thru 115-508R000 ..... | 2, 3  |
| 115-515A000 thru 115-518G000 ..... | 4, 5  |
| 115-733A000 thru 115-738R000 ..... | 6, 7  |
| Engine Shrouds .....               | 8     |

## OPTIONAL ENGINE SHROUDS

|   |   |   |                                      |  |   |   |                              |
|---|---|---|--------------------------------------|--|---|---|------------------------------|
|  |   |  |                                      |  |   |  |                              |
| <b>Part No.</b><br>751B281439<br>751B281440<br>751B281443                         | <b>Color</b><br>Dark Red<br>Black<br>Bright Red | <b>Part No.</b><br>731-1395<br>731-1396<br>731-1397                               | <b>Color</b><br>Red<br>Black<br>Gray | <b>Part No.</b><br>731-1587<br>731-1603<br>731-1610                                | <b>Color</b><br>Black<br>Yellow<br>Pewter | <b>Part No.</b><br>731-1561<br>731-1612   | <b>Color</b><br>Black<br>Red |
| <b>Hardware:</b><br>710-1256 (Screw)  |   | <b>Hardware:</b><br>710-1256 (Screw)  |                                      | <b>Hardware:</b><br>710-1184 (Screw)   |   | <b>Hardware:</b><br>7510042823 (Screw)  |                              |
|  |   |  |                                      |  |   |  |                              |
| <b>Part No.</b><br>731-1402   | <b>Color</b><br>Yellow                          | <b>Part No.</b><br>7510014308   | <b>Color</b><br>Black                | <b>Part No.</b><br>731-1585  | <b>Color</b><br>Black                     | <b>Part No.</b><br>731-1586   | <b>Color</b><br>Black        |
| <b>Hardware:</b><br>710-1256 (Screw)  |   | <b>Hardware:</b><br>7510042823 (Screw)  |                                      | <b>Hardware:</b><br>710-1274 (Screw)   |   | <b>Hardware:</b><br>7510042823 (Screw)  |                              |

# Models 504 thru 508



# Models 733 thru 738

## PARTS LIST FOR MODELS 733 THRU 738 ROTARY MOWERS

| REF. NO. | PART NO.   | CODE | DESCRIPTION                                   | REF. NO. | PART NO.  | CODE | DESCRIPTION                                   |
|----------|------------|------|---|----------|-----------|------|---|
| 1        | 647-0004   |      | Control Handle Ass'y. (Deluxe)                | 44       | 735-0639  |      | Spark Plug Boot                               |
|          | 747-0824   |      | Control Handle Ass'y. (Std.)                  | 45       | 811-00185 |      | Throttle Box Comp. (Incl. Ref. 2, 3, 4, 5, 6) |
| 2        | 710-0605   |      | Oval C-Sunk Scr.                              | 46       | 738-0102  |      | Axle Bolt                                     |
| 3        | 736-0501   |      | Spr. Wash. .66" I.D.                          | 47       | 736-0105  |      | Bell-Wash. .400" I.D. x .88"                  |
| 4        | 746-0876   |      | Throttle Lever                                | 48       | 738-0507B |      | Shld. Bolt .50" Dia. x .357"                  |
| 5        | 712-0324   |      | Hex L-Nut 1/4-20 Thd.                         | 49       | 14832     |      | Spring Lever Ass'y. w/Knob                    |
| 6        | 646-0875   |      | Throttle Body                                 | 50       | 15262B    |      | Pivot Bar                                     |
| 7        | 720-0226   |      | Grip (Optional)                               | 51       | 15261A    |      | Height Adj. Plate                             |
| 8        | 749-0538C  |      | Upper Handle                                  | 52       | **        |      | Wheel Ass'y. Comp.                            |
| 10       | 710-1205   |      | Rope Guide                                    | 53       | 14578     |      | Height Adj. Ass'y. Comp.—R.F.                 |
| 12       | 720-0276   |      | Hand Knob                                     |          | 14579     |      | Height Adj. Ass'y. Comp.—L.F.                 |
| 13       | 710-1174   |      | Curved Hd. Bolt 5/16-18 x 2" Lg.              | 54       | 746-0842  |      | Throttle Cable—51" (734 and 738)              |
| 14       | 726-0240   |      | Cable Tie                                     |          |           |      | Throttle Cable—39" (733 and 735)              |
| 15       | 749-0928   |      | Lower Handle                                  | 55       | 746-0550  |      | Control Cable—39" (734)                       |
| 16       | 714-0104   |      | Hairpin Cotter                                |          | 746-0552  |      | Control Cable—49" (733 and 735)               |
| 17       | 17098      |      | Hinge Clip                                    |          |           |      | Control Cable—36" (738)                       |
| 18       | 731-0872A  |      | Rear Flap                                     | 57       | 746-0553  |      | Hex L-Wash. Hd. Scr. 3/8-16 x 1.0" Lg.        |
| 21       | 736-0356   |      | Bell-Wash. .39" I.D. x 1.38"                  | 58       | 736-0504  |      | Wave Washer .51" I.D. (Used w/Ball Bearings)  |
| 22       | 712-0798   |      | Hex Nut 3/8-16 Thd.*                          | 62       | 720-0279  |      | Handle Knob 1/4-20 Thd.                       |
| 23       | ††         |      | Hub Cap                                       | 63       | 731-1409  |      | Chute Deflector                               |
| 24       | **         |      | Bearing (Optional)                            | 64       | 682-7002  |      | Mulching Plug                                 |
| 29       | 682-0025   |      | 20" Deck Ass'y.                               | 65       | 710-0599  |      | Hex Wash. Hd. TT-Tap Scr. 1/4-20 x .5" Lg.    |
| 30       | 753-0484   |      | Blade Adapter Kit                             | 66       | 736-0270  |      | Bell-Wash. 1/4" I.D.                          |
| 31       | 736-0452   |      | Bell-Wash. .39" I.D.                          | 67       | 682-3024  |      | Height Adj. Ass'y. Comp.—R.R.                 |
| 32       | 710-1044   |      | Hex Bolt 3/8-24 x 1.5" Lg.                    | 68       | 682-3025  |      | Height Adj. Ass'y. Comp.—L.R.                 |
| 33       | 742-0720   |      | 20" Mulching Blade                            |          |           |      |   |
| 34       | 710-1055   |      | Hex Bolt 3/8-24 x 1" Lg.                      |          |           |      |   |
| 35       | 736-0169   |      | L-Wash. 3/8" I.D.*                            |          |           |      |   |
| 36       | 712-0241   |      | Hex Nut 3/8-24 Thd.                           |          |           |      |   |
| 39       | —          |      | Engine  |          |           |      |   |
| 41       | 751B213146 |      | Cable Clamp (734 and 738)                     |          |           |      |   |
|          | 7510007755 |      | Cable Clamp (733 and 735)                     |          |           |      |   |
| 42       | 710-1237   |      | Hex Self-Tap Scr. #10-32 x .62" (734 and 738) |          |           |      |   |
|          | 710-0871   |      | Sems Scr. #10-32 x .38" Lg. (733 and 735)     |          |           |      |   |

\*For faster service obtain standard nuts, bolts and washers locally.  
If these items cannot be obtained locally, order by part number and size as shown on parts list.




| **FRONT WHEEL CHART   | Bar Tread  | "S" Wave Tread   |
|---|--|------------------|
| <b>Wheels w/o Bearings</b>                                  | 734-1781 (Gray—No Hub Cap)<br>634-0020 (Gray—Uses Hub Cap) |                  |
| <b>Wheels with Ball Brgs.†<br/>(Brg. Part No. 741-0484)</b> |  | 734-1513B (Gray) |

†Require Wave Washer 736-0504

# Models 504 thru 508

## PARTS LIST FOR MODELS 504 THRU 508 ROTARY MOWERS

| REF. NO. | PART NO.  | CODE | DESCRIPTION  | REF. NO. | PART NO.   | CODE | DESCRIPTION   |
|----------|-----------|------|--|----------|------------|------|---|
| 1        | 747-0824  |      | Control Handle (Std.)                              | 49       | 782-0520   |      | Small Pivot Bar—R.H.                                |
|          | 647-0004  |      | Control Handle (Deluxe)                            | 50       | 712-3020   |      | Hex Jam Nut 3/8-16 Thd.                             |
| 2        | 734-1661  |      | 16" Wheel Ass'y.                                   | 52       | 749-0538C  |      | Upper Handle  |
| 3        | **        |      | Front Wheel Ass'y.                                 | 53       | 714-0104   |      | Intern. Cot. Pin 5/16" Dia.                         |
| 4        | 741-0484  |      | Bearing 1/2" I.D.                                  | 54       | 726-0240   |      | Cable Tie   |
| 5        | 738-0102  |      | Front Axle Bolt                                    | 55       | 710-1174   |      | Curved Hd. Bolt 5/16-18 x 2" Lg.                    |
| 6        | 712-0328  |      | Hex Nut 3/8-24 Thd. (Gr. 8)                        | 56       | 710-1205   |      | Rope Guide  |
| 7        | 742-0622  |      | 22" Blade  | 57       | 720-0276   |      | Hand Knob   |
|          | 742-0722  |      | 22" Mulching Blade (Optional)                      | 65       | **         |      | Bearing   |
| 8        | 746-0842  |      | Throttle Control Wire—51"                          | 70       | 735-0639   |      | Spark Plug Boot (Optional)                          |
| 9        | 749-0928  |      | Lower Handle                                       | 72       | 738-0507B  |      | Shoulder Bolt .50" Dia.                             |
| 10       | —         |      | Engine   | 79       | 14832      |      | Spring Lever Ass'y. w/Knob                          |
| 11       | 710-0605  |      | Oval C-Sunk Mach. Scr.                             | 80       | 15262B     |      | Pivot Bar   |
| 12       | 746-0876  |      | Throttle Lever                                     | 81       | 15261A     |      | Height Adj. Plate                                   |
| 13       | 736-0501  |      | Spr. Wash. .66" I.D.                               | 82       | 736-0356   |      | Bell-Wash. .39" I.D. x 1.38"                        |
| 14       | 712-0324  |      | Hex L-Nut 1/4-20 Thd.                              | 84       | 14578      |      | Front Height Adj. Ass'y.                            |
| 15       | 736-0169  |      | L-Wash. 3/8" I.D.*                                 |          |            |      | Comp.—R.H.  |
| 16       | 712-0241  |      | Hex Nut 3/8-24 Thd.                                |          | 14579      |      | Front Height Adj. Ass'y.                            |
| 17       | 712-0431  |      | Flange L-Nut 3/8-18 Thd.                           |          |            |      | Comp.—L.H. (Not Shown)                              |
| 18       | 710-1055  |      | Hex Bolt 3/8-24 x 1.0" Lg.                         | 86       | 736-0270   |      | Bell-Wash. .285" I.D. x .75"                        |
| 19       | 682-0517  |      | Handle Brkt. Ass'y.—L.H.                           | 87       | 710-0599   |      | Hex Wash. Hd. Tap Scr.                              |
| 20       | 682-0518  |      | Handle Brkt. Ass'y.—R.H.                           |          |            |      | 1/4-20 x .5" Lg.                                    |
| 21       | 646-0875  |      | Throttle Body                                      | 88       | 747-0710   |      | Hinge Pin   |
| 22       | 811-00185 |      | Throttle Box Comp. (Incl. Ref. 11, 12, 13, 14, 21) | 89       | 17032      |      | Adapter Plate                                       |
| 25       | 710-0793  |      | Ribbed Neck Bolt 3/8-24 x .80"                     | 90       | 732-0593   |      | Torsion Spring                                      |
| 28       | 712-0798  |      | Hex Nut 3/8-16 Thd.*                               | 93       | 731-1034   |      | Chute Deflector Ass'y. Comp.                        |
| 29       | 736-0105  |      | Bell-Wash. .400" I.D. x .88"                       | 94       | 738-0878   |      | Rear Axle   |
| 33       | 710-1044  |      | Hex Bolt 3/8-24 x 1.5" Lg.                         | 95       | 736-0331   |      | Bell-Wash. .39" I.D. x 1.13"                        |
| 35       | 753-0484  |      | Blade Adapter Kit                                  | 96       | 750-0151   |      | Spacer .55" I.D. x .75"                             |
| 36       | 736-0452  |      | Bell-Wash. .39" I.D.                               | 97       | 736-0504   |      | Wave Washer .51" I.D.                               |
| 38       | 17098     |      | Hinge Clip   |          |            |      | (Used w/Ball Brg. Wheels)                           |
| 40       | 731-1026  |      | Rear Flap Ass'y.                                   | 99       | 736-3050   |      | FI-Wash. .406" I.D. x .81"                          |
| 43       | 746-0550  |      | Control Cable—39" (504, 508)                       | 100      | 736-0182   |      | Spr. Wash. .5" I.D. x 1.0"                          |
|          | 746-0737  |      | Control Cable—51" (507)                            | 102      | 720-0226   |      | Foam Grip (Optional)                                |
| 44       | 682-0221  |      | 22" Deck Ass'y.                                    | 103      | 751B213146 |      | Casing Clamp (504, 508)                             |
| 45       | 710-0654A |      | Hex Wash. Hd. TT-Tap Scr. 3/8-16 x 1.00" Lg.       |          | 7510007755 |      | Casing Clamp (507)                                  |
| 46       | 720-0297  | N    | Handle Knob 1/4-20 Thd.                            | 104      | 710-1237   |      | Hex Wash. Hd. Tap Scr. #10-32 x .62" Lg. (504, 508) |
| 47       | 736-0504  |      | Wave Wash. .51" I.D.                               |          | 710-0871   |      | Hex Sems Scr. #10-32 x .3" Lg. (507)                |
| 48       | 782-0519  |      | Small Pivot Bar—L.H.                               | 105      | 731-1386A  |      | Mulching Baffle (Optional)                          |

| **FRONT WHEEL CHART                                     | Bar Tread  | "T" Tread  | "S" Wave Tread  |
|---|---|---|--|
| <b>Wheels w/o Bearings</b>                              | 734-1781 (Gray—No Hub Cap)<br>634-0020 (Gray—Uses Hub Cap)<br>734-1782 (Beige)                |   | 734-1512A (Gray)   |
| <b>Wheels w/Plastic Brgs. (Brg. Part No. 741-0262)</b>  |   | 734-1566  |  |
| <b>Wheels with Ball Brgs.† (Brg. Part No. 741-0484)</b> |   | 734-1268  | 734-1513B (Gray)   |

†Require Wave Washer 736-0504


# Models 733 thru 738

## Grass Catcher Complete (Optional)

Model 190-110-000

††Optional Hub Caps

| Description        | Part No.  |
|--------------------|-----------|
| Gray (5-1/2" Dia.) | 731-0981A |
| Gray (3-1/2" Dia.) | 720-0249  |




# Models 515, 517 and 518

## Grass Catcher Complete



Model 190-076-000

## OPTIONAL HUB CAPS

| Description        | Part No.  |
|--------------------|-----------|
| Gray (3-1/2" Dia.) | 720-0249  |
| Gray (5-1/2" Dia.) | 731-0981A |



## \*\*FRONT WHEEL CHART

| Tread   | Ass'y. Comp.                        |
|---|-------------------------------------|
| Bar<br>    | 734-1781 (Gray)<br>734-1782 (Beige) |
| S-Wave<br> | 734-1512A (Gray)                    |

# Models 515, 517 and 518

## PARTS LIST FOR MODELS 515, 517 AND 518 ROTARY MOWERS

| REF. NO. | PART NO.   | CODE | DESCRIPTION                                     | REF. NO. | PART NO.  | CODE | DESCRIPTION                      |
|----------|------------|------|---|----------|-----------|------|----------------------------------|
| 1        | 747-0824   |      | Control Handle Ass'y. (Std.)                    | 50       | 736-0356  |      | Bell-Wash. .39" I.D.             |
|          | 647-0004   |      | Control Handle Ass'y. (Deluxe)                  | 51       | 712-0798  |      | Hex Nut 3/8-16 Thd.*             |
| 2        | 720-0226   |      | Foam Grip (Optional)                            | 52       | 710-0654A |      | Hex L-Wash. Hd. Scr.             |
| 3        | 710-0605   |      | Oval C-Sunk Scr.                                |          |           |      | 3/8-16 x 1" Lg.                  |
| 4        | 736-0501   |      | Spr. Wash. .66" I.D.                            | 53       | 16998A    |      | 21" Deck Ass'y.                  |
| 5        | 712-0324   |      | Hex L-Nut 1/4-20 Thd.                           | 54       | 17008     |      | Chute Baffle                     |
| 6        | 746-0843   |      | Throttle Cable—55" (518C)                       | 55       | 14847     |      | Retaining Strip 14.25" Lg.       |
|          | 746-0845   |      | Throttle Cable—45" (515A)                       | 56       | 731-0669  |      | Rear Flap 17.30" Lg.             |
|          | 746-0842   |      | Throttle Wire—51" (517G)                        | 57       | 731-0859  |      | Rear Chute Deflector             |
| 7        | 720-0297   |      | Handle Knob 1/4-20 Thd.                         | 58       | 731-0856A |      | Hardtop Handle                   |
| 8        | 749-0538C  |      | Upper Handle                                    | 59       | 731-0857A |      | Hardtop Bag Cover                |
| 9        | 710-0352   |      | Hex B-Tap Scr. 1/4 x .38" Lg.                   | 60       | 749-0736A |      | Rear Catcher Frame               |
| 10       | 712-0287   |      | Hex Nut 1/4-20 Thd.*                            | 61       | 764-0411  |      | Front Catcher Frame              |
| 11       | 736-0329   |      | L-Wash. 1/4" I.D.*                              | 62       | 764-0252  |      | Grass Bag                        |
| 12       | 710-0252   |      | Hex Bolt 1/4-20 x .85" Lg.                      | 63       | 741-0484  |      | Bearing (2 Per Wheel)            |
| 13       | 710-1205   |      | Rope Guide                                      | 64       | 738-0481  |      | Shld. Bolt .5 Dia. x 2.62"       |
| 14       | 710-0167   |      | Carr. Bolt 1/4-20 x .5" Lg.                     | 65       | 736-0463  |      | FI-Wash. .281" I.D.              |
| 15       | 720-0276   |      | Hand Knob                                       | 68       | 731-1461  |      | Chute Deflector (Optional)       |
| 16       | 746-0554   |      | Control Cable—40.5" (518C)                      | 69       | 782-7011  |      | Chute Mounting Brkt. (Optional)  |
|          | 746-0555   |      | Control Cable—55" (515A and 517G)               | 70       | 712-0324  |      | Hex L-Nut 1/4-20 Thd.            |
| 17       | 726-0240   |      | Cable Tie                                       | 71       | 710-0286  |      | Mach. Scr. 1/4-20 x .5" Lg.      |
| 18       | 710-1174   |      | Curved Hd. Bolt 5/16-18 x 2" Lg.                | 72       | 736-0452  |      | Bell-Wash. .39" I.D.             |
| 19       | 749-0928   |      | Lower Handle                                    | 73       | 742-0621  |      | 21" Blade                        |
| 20       | 17007      |      | Rear Panel Baffle                               |          | 742-0721  |      | Mulching Blade (Optional)        |
| 21       | 17013      |      | Baffle  | 74       | 753-0484  |      | Blade Adapter Kit                |
| 22       | 735-0639   |      | Spark Plug Boot (Optional)                      | 75       | 710-1044  |      | Hex Bolt 3/8-24 x 1.5"           |
| 23       | 811-00185  |      | Throttle Box Comp. (Incl. Ref. 3, 4, 5, 24, 25) | 76       | 15261A    |      | Height Adj. Plate                |
|          |            |      |   | 77       | 15262B    |      | Pivot Bar                        |
| 24       | 746-0876   |      | Throttle Lever                                  | 78       | 14832     |      | Spring Lever Ass'y. w/Knob       |
| 25       | 646-0875   |      | Throttle Body                                   | 79       | 738-0507B |      | Shld. Bolt .50" Dia. x .357"     |
| 26       | 751B213146 |      | Cable Clamp (518C)                              | 80       | 736-0105  |      | Bell-Wash. .38" I.D. x .88" O.D. |
|          | 7510007755 |      | Cable Clamp (515A and 517G)                     | 82       | 14578     |      | Height Adj. Ass'y. Comp.—R.H.    |
| 27       | —          |      | Engine  |          | 14579     |      | Height Adj. Ass'y.               |
| 28       | 710-1237   |      | Hex Self-Tap Scr. #10-32 x .62" Lg. (518C)      | 83       | **        |      | Comp.—L.H. (Not Shown)           |
|          | 710-0871   |      | Hex Sems Scr. #10-32 x .38" Lg. (515A and 517G) | 84       | 14764C    |      | Front Wheel Ass'y. Comp.         |
|          |            |      |   | 85       | 17488     |      | Index Plate                      |
| 30       | 734-1661   |      | Wheel Ass'y. Comp.—Steel Rim                    |          | 17489     |      | Pivot Bar—R.H.                   |
| 31       | 710-1055   |      | Hex Bolt 3/8-24 x 1"                            | 86       | 720-0190  |      | Pivot Bar—L.H. (Not Shown)       |
| 32       | 736-0169   |      | L-Wash. 3/8" I.D.                               | 87       | 732-0417A |      | Spring Lever Knob                |
| 33       | 712-0241   |      | Hex Nut 3/8-24 Thd.                             | 88       | 17490     |      | Spring Lever                     |
| 34       | 731-0858   |      | Seal—Extrusion                                  |          | 17491     |      | Rear Height Adj. Ass'y.          |
| 35       | 714-0104   |      | Int. Cotter Pin 5/16" Dia.                      |          |           |      | Comp.—R.H.                       |
| 36       | 726-0106   |      | Cap Speed Nut                                   | 89       | 738-0102  |      | Rear Height Adj. Ass'y.          |
| 37       | 747-0698B  |      | Hinge Pin 17.75" Lg.                            | 90       | 736-0504  |      | Comp.—L.H. (Not Shown)           |
| 38       | 750-0566   |      | Spacer .255" I.D.                               |          |           |      | Front Axle Bolt                  |
| 39       | 732-0577A  |      | Torsion Spring—L.H.                             | 92       | 720-0224  |      | Wave Wash. .51" I.D. x .78"      |
| 40       | 711-0805   |      | Shld. Pin 3/8-24 x 1.43" Lg.                    | 93       | 736-0498  |      | O.D. (Used w/Ball Brg.)          |
| 41       | 736-0169   |      | L-Wash. 3/8" I.D.*                              | 94       | 736-0286  |      | Grass Catcher Locking Knob       |
| 42       | 712-0711   |      | Hex Jam Nut 3/8-24 Thd.                         | 95       | 738-0137  |      | Internal L-Wash. 1/4" I.D.       |
| 43       | 732-0578A  |      | Torsion Spring—R.H.                             | 96       | 731-0564  |      | Wave Washer 3/8" I.D.            |
| 44       | 12297B     |      | Handle Brkt. Ass'y.—L.H.                        | 99       | 736-0456  |      | Shld. Bolt .342" Dia. x .268"    |
| 45       | 710-1017   |      | Torx Mach. AB-Tap Scr. 1/4 x .62" Lg.           | 100      | 736-0182  |      | Plug                             |
| 46       | 731-0970B  |      | Deflector Plug                                  | 101      | 731-1446  |      | FI-Wash. .51" I.D. x 1.373"      |
| 47       | 731-0931   |      | Corner Plug                                     | 102      | 782-7010  |      | Spr. Wash. .5" I.D. x 1" O.D.    |
| 48       | 12296B     |      | Handle Brkt. Ass'y.—R.H.                        | 103      | 710-1006  |      | Mulching Plug (Optional)         |
| 49       | 710-0896   |      | Hex L-Wash. B-Tap Scr. 1/4 x .62" Lg.           | 104      | 710-0653  |      | Stop Bracket (Optional)          |
|          |            |      |   |          |           |      | Hex Tap Scr. 3/8-16 x .75" Lg.   |
|          |            |      |   |          |           |      | Hex B-Tap Scr. 1/4 x .38" Lg.    |

\*For faster service obtain standard nuts, bolts and washers locally.  
If these items cannot be obtained locally, order by part number  
and size as shown on parts list.